



KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P-0058

Certificate of Analysis

1 of 1

3000mg CBD Freeze Gel Squeeze

Sample ID: SA-251111-72548
Batch: SQD31012
Type: Finished Product - Topical
Matrix: Topical - Gel
Unit Mass (g): 113.0

Received: 11/12/2025
Completed: 11/18/2025

Client
Sunny Skies CBD
100 W. Main Street
Durand, WI 54736
USA
Lic. #: USDA.55.0114



Summary

Test
Cannabinoids

Date Tested
11/18/2025

Status
Tested

ND	2.92 %	2.93 %	Not Tested	Not Tested	Yes
Total Δ9-THC	CBD	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA

Analyte	LOD (%)	LOQ (%)	Result	Result (mg/unit)
CBC	0.00035	0.00084	ND	ND
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.00242	2.92	3300
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.00182	0.011	12.5
CBDA	0.00021	0.00063	ND	ND
CBG	0.00037	0.00112	ND	ND
CBGA	0.00049	0.00147	ND	ND
CBL	0.0012	0.00336	ND	ND
CBLA	0.0024	0.00719	ND	ND
CBN	0.00056	0.00169	ND	ND
CBNA	0.0006	0.00181	ND	ND
CBT	0.0008	0.0024	ND	ND
Δ8-THC	0.0014	0.0032	ND	ND
Δ9-THC	0.00076	0.00227	ND	ND
Δ9-THCA	0.00084	0.00251	ND	ND
Δ9-THCV	0.00069	0.00206	ND	ND
Δ9-THCVA	0.00062	0.00186	ND	ND
Total Δ9-THC			ND	ND
Total			2.93	3310

ND = Not Detected, NT = Not Tested, UA = Unavailable for Analysis, NR = (Spill) Not Recoverable, LOD = Limit of Detection, LOQ = Limit of Quantitation, RL = Reporting Limit, Δ = Delta, Total Δ9-THC = Δ9-THCA + 0.877 * Δ9-THC, Total CBD = CBDA + CBDA * 0.877 + CBD

[Signature]

Generated By: Ryan Bellone
Commercial Director
Date: 11/18/2025

[Signature]

Tested By: Nicholas Howard
Scientist
Date: 11/18/2025



ISO/IEC 17025:2017 Accredited
Accreditation #00861

This product or substance has been tested by KCA Laboratories using validated testing methods and/or an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight or mass otherwise stated, results of tests performed on all quality control samples meet criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.